IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publicat	tions/Services Standards Conferences Careers/Jobs
JEEE >	Welcome United States Patent and Trademark Office
Help FAQ Terms IEEE	Peer Review Quick Links Sea
Welcome to IEEE Xplares - Home - What Can I Access? - Log-out	Your search matched 3 of 1128145 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order. Refine This Search:
Tables of Contents	You may refine your search by editing the current search expression or enterin
O Journals & Magazines O Conference	new one in the text box. packet data serving node Check to search within this result set
Proceedings - Standards	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard
Search	
O- By Author O- Basic O- Advanced O- CrossRef	1 A fast handoff scheme for packet data service in the CDMA 2000 sys Hoon Choi; Moayeri, N.; Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE , Volume: 3, 25-29 Nov. 2001 Pages:1747 - 1753 vol.3
Member Services Or Join IEEE	[Abstract] [PDF Full-Text (321 KB)] IEEE CNF
O Establish IEEE Web Account O Access the IEEE Member Digital Library	2 Cellular-IP principle based mobility management for 1xCDMA netwo Angamuthu, K.; Tilak, H.; Communications, 2003. APCC 2003. The 9th Asia-Pacific Conference on , Volu 1 , 21-24 Sept. 2003 Pages: 275 - 279 Vol.1
	[Abstract] [PDF Full-Text (368 KB)] IEEE CNF
O- Access the IEEE Enterprise File Cabinet	3 A new multimedia network architecture using 3G CDMA2000 Mun Gi Choi; Yingchun Xu; Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd, Volum 6, 24-28 Sept. 2000

[Abstract] [PDF Full-Text (604 KB)] IEEE CNF

Pages: 2937 - 2944 vol.6

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved

Refine Search

Search Results -

Term	Documents
SELECT	346885
SELECTS	167101
PDSN	85
PDSNS	24
(SELECT ADJ PDSN).USPT.	1
(SELECT ADJ PDSN).USPT.	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

,35			Refine Search
	Recall Text	Class I	Internint

Search History

DATE: Thursday, February 17, 2005 Printable Copy Create Case

Set Name Query side by side		Hit Count S	Hit Count Set Name result set	
DB=U	SPT; PLUR=YES; OP=ADJ			
<u>L35</u>	select adj pdsn	1	<u>L35</u>	
<u>L34</u>	L33	0	<u>L34</u>	
<u>L33</u>	primary adj PDSN	0	<u>L33</u>	
<u>L32</u>	spare adj PDSN	0	<u>L32</u>	
<u>L31</u>	backup adj PDSN	0	<u>L31</u>	
<u>L30</u>	primary adj PDSN and secondary adj PDSN	0	<u>L30</u>	
<u>L29</u>	L28	0	<u>L29</u>	
<u>L28</u>	packet adj data adj node adj redundancy	0	<u>L28</u>	
<u>L27</u>	125 and packet adj serving	0	<u>L27</u>	

<u>L26</u>	L25 and serving adj node	0	<u>L26</u>
<u>L25</u>	node adj redundancy	73	<u>L25</u>
<u>L24</u>	node adj redundancy and packet adj data adj servicing	0	<u>L24</u>
<u>L23</u>	standby adj packet adj data adj serving	0	<u>L23</u>
<u>L22</u>	L19 and reserve	0	<u>L22</u>
<u>L21</u>	L19 and backup	0	<u>L21</u>
<u>L20</u>	L19 and standby	0	<u>L20</u>
<u>L19</u>	selected adj PDSN	1	<u>L19</u>
<u>L18</u>	selected PDSN	1	<u>L18</u>
<u>L17</u>	L15 and redundant	1	<u>L17</u>
<u>L16</u>	L15 and redundancy	3	<u>L16</u>
<u>L15</u>	standby and PDSN and active	8	<u>L15</u>
<u>L14</u>	standby adj PDSN	0	<u>L14</u>
<u>L13</u>	active adj PDSN	0	<u>L13</u>
<u>L12</u>	serving adj node adj redundancy	0	<u>L12</u>
<u>L11</u>	PDSN adj redundancy	0	<u>L11</u>
<u>L10</u>	PDSN adj redundancy and update adj state	0	<u>L10</u>
<u>L9</u>	L5 and update	2	<u>L9</u>
<u>L8</u>	L6 and update	0	<u>L8</u>
<u>L7</u>	L5 and non-recoverable	0	<u>L7</u>
<u>L6</u>	L5 and active and standby	2	<u>L6</u>
<u>L5</u>	L4 and PDSN	14	<u>L5</u>
<u>L4</u>	packet adj data adj serving adj node and redundancy	15	<u>L4</u>
<u>L3</u>	L1 and node adj redundancy	0	<u>L3</u>
<u>L2</u>	L1 and PDSN	0	<u>L2</u>
<u>L1</u>	370/398.ccls.	184	<u>L1</u>

END OF SEARCH HISTORY

Patent Assignment Abstract of Title

Total Assignments: 1

Application #: 10693294 Filing Dt: 10/24/2003 Patent #: NONE Issue Dt:

PCT #: NONE Publication #: <u>US20040095881</u> Pub Dt: 05/20/2004

Inventors: Michael S. Borella, Chandra Warrier

Title: System and method for point-to-point protocol device redundancey

Assignment: 1

 Reel/Frame:
 014644/0967
 Received:
 Recorded:
 Mailed:
 Pages:

 11/04/2003
 10/24/2003
 05/24/2004
 3

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

conveyance: Assignment of Assignors interest (See Document For DetAils).

Assignors: BORELLA, MICHAEL S. Exec Dt: 10/20/2003

WARRIER, CHANDRA Exec Dt: 10/20/2003

Assignee: UTSTARCOM, INC.

1275 HARBOR BAY PARKWAY ALAMEDA, CALIFORNIA 94502

Correspondent: FELIX L. FISCHER

1607 MISSION DRIVE, SUITE 204

SOLVANG, CA 93463

Search Results as of: 2/17/2005 11:06:56 A.M.

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 703-308-9723 Web interface last modified: Oct. 5, 2002